# 

Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	_

## GCSE COMBINED SCIENCE: TRILOGY

Higher Tier Chemistry Paper 2H

### Time allowed: 1 hour 15 minutes

### Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

### Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

### Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.



For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
TOTAL		







		] Do not
0 1	A student investigated the reaction between magnesium and excess hydrochloric acid.	Do not v outside box
	Figure 1 shows the apparatus.	
	Figure 1	
	Gas syringe	
	Delivery tube	
	Stopper Conical flask Timer Hydrochloric acid	
	This is the method used.	
	1. Pour 50 cm <sup>3</sup> of hydrochloric acid into a conical flask.	
	2. Add a piece of magnesium.	
	3. Insert stopper and delivery tube and start a timer.	
	4. Collect the gas produced in a gas syringe.	
	5. Record the volume of gas produced every 20 seconds for 2 minutes.	
	6. Repeat steps 1 to 5 with higher concentrations of hydrochloric acid.	
01.1	Give the independent variable and <b>one</b> control variable in this investigation. [2 marks]	
	Independent variable	
	Control variable	
	Question 1 continues on the next page	











		Do not write outside the
0 1.5	Temperature also affects the rate of the reaction.	box
	Explain how increasing the temperature affects the <b>rate</b> of the reaction.	
	You should refer to particles and collisions.	
	[3 marks]	
		10



0 2	Crude oil is a resource found in rocks.	Do not write outside the box
	Most of the compounds in crude oil are hydrocarbons.	
02.1	Complete the sentence. [1 mark]	
	Crude oil is formed by the decomposition of	
0 2 2 2	Alkanes are hydrocarbons. Give the name of the alkane molecule that has three carbon atoms. [1 mark]	
	Question 2 continues on the next page	



Turn over 🕨





	Hydrocarbons are cracked to produce more useful alkanes and alkenes.	Do not write outside the box
02.4	Decane (C <sub>10</sub> H <sub>22</sub> ) is cracked to produce <b>two</b> products.	
	Complete the equation for the reaction. [1 mark]	
	$C_{10}H_{22} \rightarrow $ + $C_2H_4$	
02.5	C₂H₄ is an alkene.	
	What is the test for alkenes?	
	Give the result of the test if an alkene is present. [2 marks]	
	Test	
	Result	11
	Turn over for the next question	



		Do not write outside the
03	The methods used to produce potable water depend upon available sources of water.	box
03.1	Suggest how copper sulfate can be used as a test for the presence of water. [3 marks]	
	The boiling point is used to check the purity of a sample of water.	
03.2	In chemistry, what is meant by a 'pure substance'? [1 mark]	
03.2		
03.2		
03.2		
03.2		
03.2		
03.2		
03.2		
03.2		



		Do not writ outside the
0 3 . 3	The boiling point of a 250 g sample of water was 100.60 °C.	box
	The boiling point of pure water in a data book is 100.00 °C.	
	Each 1% of impurity increases the boiling point of water by 0.12 °C.	
	Calculate the mass of the impurity in the sample of water. [3 marks]	
	Mass of the impurity =g	
03.4	Explain how distillation is used to obtain potable water from salty water. [4 marks]	
	Question 3 continues on the next page	



03.5	Obtaining potable water from salty water is more expensive than obtaining potable water from ground water.	Do not write outside the box
	Explain why.	
	Refer to the processes used in both methods in your answer. [2 marks]	
		13











[1 mark]
Question 4 continues on the next page
Question 4 continues on the next page
Question 4 continues on the next page
Question 4 continues on the next page
Turn over ►



# ligh-grade copper resources are now difficult to find. Phytomining is used to extract copper from low-grade ores. There are five stages, A, B, C, D and E, in phytomining. The stages are not in the correct order. Stage A Copper compounds from ash are dissolved in acid. Stage B Plants absorb metal compounds. Stage C Plants are burned. Stage D Plants are harvested. Stage E Solution of copper compound is electrolysed.

What is the correct order of stages A, B, C, D, and E?

[1 mark]

Do not write outside the

box



Tick (✓) one box.



04.5	Give <b>two</b> disadvantages of phytomining compared with traditional mining methods. Do <b>not</b> refer to cost in your answer. [2 marks] 1 2	Do not write outside the box
04.6	In one year, 8.89 × $10^9$ kg of copper was produced.	
	41.0% of this copper was produced from recycled copper.	
	The energy needed to produce 1 kg of copper from copper ore is 70.4 MJ.	
	The energy needed to produce 1 kg of recycled copper is 27.2 MJ.	
	Calculate the difference in energy used if all the copper was produced from recycling.	
	Give your answer to 3 significant figures. [5 marks]	
	Difference in energy used (3 significant figures) = MJ	12

### Turn over ►



Table 3 shows the concentration of nitrogen dioxide in the air in three different areas for 1 week.

### Table 3

	Concentration of nitrogen dioxide in the air in micrograms per m <sup>3</sup>		
Day	City centre	Countryside	Motorway
Monday	35	8	22
Tuesday	37	8	23
Wednesday	37	8	23
Thursday	34	8	23
Friday	37	8	23
Saturday	29	7	20
Sunday	X	6	17



0 5.2	The mean value for nitrogen dioxide in the air for the whole week in the city centre is 33 micrograms per m <sup>3</sup> .	Do not write outside the box
	Calculate the value ( <b>X</b> ) for the concentration of nitrogen dioxide in the air in the city centre on Sunday. [2 marks]	
	<b>X</b> = micrograms per m <sup>3</sup>	
0 5.3	Each value in <b>Table 3</b> has an uncertainty of ± 2 micrograms per m <sup>3</sup> .	
	Explain why this uncertainty is <b>most</b> significant for countryside data. [2 marks]	
	Question 5 continues on the next page	



	Nitrogen dioxide is removed from car emissions by catalytic converters.	Do not write outside the box
0 5.4	In a catalytic converter nitrogen dioxide (NO <sub>2</sub> ) reacts to produce nitrogen and oxygen.	
	Complete the equation for the reaction.	
	You should balance the equation. [2 marks]	
	$\_NO_2 \rightarrow \_+$	
0 5.5	The catalyst in a catalytic converter contains platinum.	
	Platinum is a finite resource.	
	What is meant by a 'finite resource'? [1 mark]	
0 5.6	Emissions from cars contain carbon dioxide.	
	Explain why carbon dioxide emissions during use and operation are <b>not</b> the total carbon footprint for a car.	
	Refer to the stages of the life cycle assessment of a car in your answer. [3 marks]	
		13



0 6	Ammonia is produced when a mixture of nitrogen and hydrogen reacts.	Do not write outside the box
	The equation for the reaction is:	
	$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$	
06.1	Nitrogen is obtained from the air.	
	The mixture of nitrogen and hydrogen must <b>not</b> contain carbon dioxide and oxygen.	
	Explain how a sample can be tested to show that carbon dioxide is <b>not</b> present in	
	the mixture. [2 marks]	
06.2	A catalyst is used in the reaction.	
0 0 . 2	Explain how a catalyst increases the rate of a reaction.	
	[2 marks]	
	Question 6 continues on the next page	



		D
	The equation for the reaction to produce ammonia is repeated here. $N_2(g) + 3H_2(g) \Rightarrow 2NH_3(g)$	Do not write outside the box
06.3	The reaction reaches equilibrium. Explain how an equilibrium is reached. [2 marks]	
06.4	Suggest how the catalyst affects the equilibrium position. Give <b>one</b> reason for your answer. [2 marks]	
06.5	What is the effect of increasing the pressure on the reaction to produce ammonia? [1 mark] Tick ( $\checkmark$ ) one box.	
	The yield of ammonia decreases.	
	The yield of ammonia increases.	



23



11





Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright  $\ensuremath{\mathbb{C}}$  2021 AQA and its licensors. All rights reserved.





IB/M/Jun21/8464/C/2H