



Section 3: The factor theorem

Exercise

- 1. (i) Show that x + 1 is a factor of $x^3 4x^2 + x + 6$.
 - (ii) Hence factorise $x^3 4x^2 + x + 6$. completely.
- 2. x-2 is a factor of the polynomial $x^3 + ax^2 4x + 12$.
 - (i) Find the value of a.
 - (ii) Factorise the polynomial completely.
- 3. Solve the equations
 - (i) $x^3 2x^2 11x + 12 = 0$
 - (ii) $x^3 + 4x^2 3x 18 = 0$
 - (iii) $x^3 19x 30 = 0$
- 4. (i) Show that (2x+3) is a factor of $f(x) = 2x^3 + 5x^2 + 5x + 3$.
 - (ii) Hence show that $2x^3 + 5x^2 + 5x + 3 = 0$ has only one real root.
- 5. (i) Show that neither (x-1) nor (x+1) are factors of $f(x) = 12x^3 4x^2 3x + 1$.
 - (ii) Explain how you know that $12x^3 4x^2 3x + 1 = 0$ does not have any roots that are integers.
 - (iii) Show that (2x-1) is a factor of f(x).
 - (iv) Solve the equation $12x^3 4x^2 3x + 1 = 0$.
- 6. Bob factorises $x^3 4x^2 7x + 10$ and gets (x-1)(x-2)(x+5). Explain how you know that Bob is wrong.
- 7. A rectangle with length *x* cm and width *y* cm has a square cm by 3 cm removed from a corner to leave an L shape. The area of the L shape is 15 cm². The perimeter of the L shape is 20 cm.

Find the values of x and y.

